



Stack Photo Gallery
version 1.0

[User Guide](#)

NOTE

The **free version** has following limitations:

- 9 images maximum
- contains the copyright label.

Contents

Starting the Work	2
SWF Object HTML Code	2
Configuring the Gallery	2
XML File Format	3
Gallery Parameters	4

Starting the Work

To start working simply paste object HTML into your page and setup xml configuration file. You can place configuration file anywhere on your server.

SWF Object HTML Code

Paste this code into your HTML-page and replace object stage parameter with your values. The following HTML-code supports MS Internet Explorer and Mozilla Firefox:

```
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=6,0,29,0"
width="width" height="height">
<param name="movie" value="swf file path">
<param name="quality" value="high">
<param name="scale" value="noscale">
<param name="bgcolor" value="background color">
<param name="flashVars" value="XMLFile=path to configuration file">

<embed src="swf file path" width="width" height="height" flashvars="XMLFile=path to configuration
file" quality="high" pluginspage="http://www.macromedia.com/go/getflashplayer" type="application/x-
shockwave-flash" scale="noscale" bgcolor="background color"></embed>
</object>

<!-- You can't remove the copyright text below if you're using free version -->
<span style="font-size:.7em">&copy;copyright <a href="http://flash-gallery.com/"
title="Flash-Gallery.com - Stack Photo Gallery free version">Stack Photo Gallery Gallery</a> </span>
```

Configuring the Gallery

An XML file is used to configure the gallery. By editing the XML file, you can add or remove gallery images as well as edit multiple appearance and behavior settings. The format of the XML file is described below.

Gallery settings are described in the **<settings></settings>** tag of the XML file as follows:
<parameter name> parameter value </parameter name>.

For example, the frame color is configured using the **<frameColor>0xFFFFFFFF</frameColor>** tag.

The image file information is contained in the **<items> </items>** structure.

```
<items>
  <item source="..." description="..." />
  <item source="..." description="..." />
  <item source="..." description="..." />
  .....
</items>
```

item source – Image name

description – Image description

XML File Format

```
<gallery>
  <settings>
    <imagesFolder>images/</imagesFolder>
    <captionColor>0x000000</captionColor>
    <frameColor>0xFFFFFFFF</frameColor>
    <background bgColor="0xFFFFFFFF" bgAlpha="100"
      bgImage="images/bg.jpg" />
  </settings>
  <items>
    <item source="1.jpg" description="Wonderful forest" />
    <item source="2.jpg" description="..." />
    <item source="3.jpg" description="..." />
    <item source="..." />
    <item source="..." />
    <item source="..." />
    .....
  </ items>
</gallery>
```

Gallery Parameters

Parameter Name	Description									
imagesFolder	Path to the folder with images. Possible values: String. Default: "".									
captionColor	Color of image captions. Format: 0xRRGGBB. Default: 0x000000.									
frameColor	Frame color. Format: 0xRRGGBB. Default: 0xFFFFFFFF.									
background	Background settings. <table border="1"><tbody><tr><td>bgColor</td><td><background bgColor="0xFFFFFFFF"</td><td>RGB</td></tr><tr><td>bgAlpha</td><td><background bgAlpha ="100"</td><td>(0-100)</td></tr><tr><td>bgImage</td><td><background bgImage ="img/bg.jpg"</td><td>URL</td></tr></tbody></table> <p>Example <background bgColor="0xFFFFFFFF" bgAlpha="100" bgImage="img/bg.jpg"/></p>	bgColor	<background bgColor="0xFFFFFFFF"	RGB	bgAlpha	<background bgAlpha ="100"	(0-100)	bgImage	<background bgImage ="img/bg.jpg"	URL
bgColor	<background bgColor="0xFFFFFFFF"	RGB								
bgAlpha	<background bgAlpha ="100"	(0-100)								
bgImage	<background bgImage ="img/bg.jpg"	URL								
XMLFile	Full Path to XML configuration file (contains filename). Possible values: String. Default: "".									